


CITY OF LINCOLN REDISTRICTING
IRC OPTION 3



Current District Boundary
 Area of Boundary Change
 Proposed District Boundaries

- | | |
|---|---|
| <ul style="list-style-type: none"> 1 2 3 4 5 | <ul style="list-style-type: none"> 1 2 3 4 5 |
|---|---|



Lincoln Redistricting Summary Statistics

IRC Option 3—DRAFT—Subject to change

11/29/2021



Ideal Population Criterion

Ideal Population	9,988
Overall Range	9.6%
< 5.0%	5.0 - 10.0%
> 10.0%	

Total Population & Deviation per District

District	Total Population	Over / Under Ideal	Deviation From Ideal
1	10,226	238	2.4%
2	9,850	-138	-1.4%
3	10,573	585	5.9%
4	9,674	-314	-3.1%
5	9,616	-372	-3.7%

Total Population by Race/Ethnicity per District

District	White	Black or African American	American Indian or Alaska Native	Asian	Native Hawaiian and Pacific Islander	Some Other Race	Two or More Races	Hispanic/Latino
1	65.8%	1.7%	0.3%	5.0%	0.3%	0.4%	6.5%	20.0%
2	46.4%	1.2%	0.6%	2.1%	0.3%	0.3%	5.0%	44.0%
3	59.5%	2.6%	0.3%	11.0%	0.5%	0.7%	7.5%	17.9%
4	88.6%	0.7%	0.2%	3.3%	0.1%	0.2%	2.3%	4.6%
5	68.0%	1.8%	0.3%	9.0%	0.1%	0.4%	6.3%	14.1%

2020 Census P.L 94-171 Redistricting Data Summary Files Total Population by race and Hispanic/Latino origin.

CVAP by Race/Ethnicity per District

District	White	Black or African American	American Indian or Alaska Native	Asian	Native Hawaiian and Pacific Islander	Two or More Races	Hispanic/Latino
1	73.0%	2.0%	0.1%	6.6%	0.0%	1.9%	16.5%
2	59.4%	1.1%	0.5%	3.5%	0.0%	1.6%	33.6%
3	68.3%	2.6%	0.1%	10.4%	0.7%	3.2%	14.7%
4	90.0%	1.3%	0.0%	3.7%	0.0%	0.3%	4.4%
5	72.5%	2.4%	0.0%	8.4%	0.0%	2.2%	14.2%

2015-2019 (5-year) American Community Survey (ACS) Citizen Voting-age Population (CVAP) by Race and Ethnicity Special Tabulation. Some Other Race category not included within the ACS special tabulation.

*Rounding may lead to summation of race/ethnicity percentages not equal to 100% (+/- 1%)

Compactness Measures per District

District	Polsby-Popper	Schwartzberg	Reock	Convex Hull	Length-Width
1	0.24	2.04	0.24	0.57	0.60
2	0.29	1.87	0.20	0.63	0.37
3	0.31	1.79	0.32	0.71	0.76
4	0.50	1.41	0.65	0.79	0.96
5	0.29	1.86	0.35	0.62	0.66

Polsby-Popper, Reock, Convex Hull, and Length-Width scores fall within the range of 0-1, with 0 being the least compact and 1 being the most compact. In comparison, a Schwartzberg score of 1 is the most compact and higher scores are increasingly less compact.